

# ◇ User Manual ◇



## Specification:

**Item Code:** ERP-MINI

**Item Style:** Mechanical Electric

**Size:** 6\*9cm

**Controller:** Digital Control Panel

**Electric Data:** 220V/50Hz, 120W

**N.W.:** 6.8kg, **G.W.:** 7.5kg

**PKG:** 22.5\*23\*33cm, paper carton



ERP-MINI is an excellent small electric rosin press (N.W. only 6.8kg) and is equipped with an electric putter (generates up to 1ton of pressing force), a precise LCD temp.&timer controls, 6\*9cm heat-insulated solid 6061 food-grade aluminum plates. The ERP-MINI is easy to operate as a regular coffee machine, with just a simple push of buttons to complete all operations. When the time is a countdown to Zero, immediately pull the parchment away from the heat source and put it between cooling plates.

- Temperature
- Amount of Time Pressed
- Amount of Force Applied
- Size/Weight of nugs

## 1. Read Before Use

1. Use the Heat press only as intended.
2. Please keep children away from the device.
3. Please ensure the power outlet is correct before using the device.
4. Be cautious, burns can occur when in contact with a hot surface.
5. Turn the Device off when not in use and remove the plug.

## 2. Recommended Accessories

- 25 lb or Thicker Silicone Parchment Paper Sheets
- Screen Filters like 5x10cm
- Rosin Tools


### 3. Recommended Operation Parameter

Time: 30~45sec.


Temp.: 100-120°C

Pressure: Press and Hold the “Press” button until the upper heating plate closes up with the lower heating plate.

### 4. Control Panel Setting




Control Panel Window




Press ● to set the Upper heating element temperature, Touch Set & ↑↓ key to set desire a temp.




Press ● to set the Lower heating element temperature, Touch Set & ↑↓ key to set desire a temp.




Press ● to set the time, Touch Set & ↑↓ key to set desire a time



Press ● & ↑↓ Choose °C or °F, Upper heating element & Lower heating element Switch simultaneously



Press ● to finish all settings, The upper and lower heating indicator lights up to indicate that the upper and lower plates have started to heat up.



When the set temperature is reached, the heating indicator disappears, then press TIMER to start.

### 5. How to Use Rosin Press

- Take out Rosin Press from the package.
- Plug in the power socket, turn on the power switch, and set temp. & time for each control panel, Say. 230°F/110°C, 30sec. and raises to the set temp.
- Use parchment paper to cover the prepared material and place it in the center of the bottom platen.

- Push the Down button to lower the top plate and start pressing.
- Press the TIMER button on the control panel. The control panel starts showing a countdown.
- Wait until the countdown ends and the press starts beeping. Press the TIMER button again to turn off the timer and stop the beeping.
- Push the UP button to stop pressing and lift up the top plate.
- Remove the pressed material using heat-resistant gloves or tools and exercise extreme caution.
- Turn off the machine by flipping the ON/OFF switch when done pressing. Unplug and then disconnect the AC power cord from the press. Wait until the platens cool down completely to clean and store the press.
- Rosin oil will be adhesive on the parchment paper, you will need to use the rosin tool to collect the oil when it cools down, and store it in the silicon jar.